




Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
F	.220 [5.59]	SIGNAL
G	.220 [5.59]	SIGNAL
H	.220 [5.59]	SIGNAL
R	.270 [6.86]	SIGNAL
S	.270 [6.86]	SIGNAL
T	.270 [6.86]	SIGNAL
U	.270 [6.86]	SIGNAL
PA	N/A [N/A]	POWER

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3		COPY		title		
A	V21165	TAB	07/16/02		.XXX±.005/0.XX±0.13		projection		4P + 20S + 4P		
B	DG05-0243	SJ	07/26/05	angles	.XXX±.0020/0.XXX±0.051				R/A SOLDER HEADER		
C	DG05-0560	CS	12/26/05		0° ± 2°		INCH/MM		product family		code
D	DG08-0272	WD	09/27/08	dr	T. BRUNGARD	07/16/02	scale		PwrBlade		213
				engr	M. MOSTOLLER	07/16/02	1:1		size		sheet
				chr	M. MOSTOLLER	07/16/02			dwg no		1 of 4
				appd	M. MOSTOLLER	07/16/02			A 51730-054		
sheet index	revision sheet	D	D	D	D	D					
		1	2	3	4						

A

B

3

4

A

B

1 | 2

Pro/E

PDM: Rev:D

STATUS: Released

Printed: Oct 17, 2008

code code 22526


4

Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.


All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.




PRODUCT NUMBER
51730-054--
NOTE: ③



BROKEN-OUT SECTION A-A
SCALE 2:1



BROKEN-OUT SECTION B-B
SCALE 2:1



PARTIAL SECTION E-E

SECTION C-C

mat'l code		SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lir	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	COPY		title	
D					.XXY±.005/0.XX±0.13	projection		4P + 20S + 4P	
				angles	.XXX±.0020/0.XXX±0.051			R/A SOLDER HEADER	
					0°±2°	INCH/MM		product family	
				dr	T. BRUNGARD 07/16/02	scale		PwrBlade	
				engr	M. MOSTOLLER 07/16/02	1:1		code	
				chr	M. MOSTOLLER 07/16/02			size	
				appd	M. MOSTOLLER 07/16/02			dwg no	
sheet index		revision sheet						A 51730-054	
								213	
								sheet	
								2 of 4	

Pro/E

PDM: Rev:D

STATUS: Released


Printed: Oct 17, 2008

Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51730-054--
NOTE: ③



RECOMMENDED PCB LAYOUT

mat'l code		SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	COPY		title	
C					.XXY±.005/0.XX±0.13	projection		4P + 20S + 4P	
				angles	.XXX±.0020/0.XXX±0.051			R/A SOLDER HEADER	
					0°±2°	INCH/MM		product family	
				dr	T.BRUNGARD 07/16/02	scale		PwrBlade	
				enrg	M.MOSTOLLER 07/16/02	1:1		code	
				chr	M.MOSTOLLER 07/16/02			213	
				appd	M.MOSTOLLER 07/16/02			sheet	
sheet index		revision sheet						A 51730-054	
								3 of 4	

code code 22516

Pro/E

PDM: Rev:D

STATUS: Released

Printed: Oct 17, 2008

PRODUCT NUMBER

51730-054--
NOTE: ③

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- ② HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
 - △ 3. SEE ITEM 1 & 2 IN PRINT 10064183 FOR PLATING SPEC OF 51730-054 AND 51730-054LF RESPECTIVELY.
 - ④ MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.
 - 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
- PCB NOTES:
- 6. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
 - 7. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
 - ⑧ $\varnothing .0453 \pm .0010$ [1.151 \pm 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [1.02 \pm .07] HOLE.
 - ⑨ "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
 - ⑩ CONNECTOR KEEP-OUT ZONE.
 - 11. A/△ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

mat'l code		SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCJ		www.fciconnect.com	
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	COPY		projection		title	
D					.XX±.005/0.XX±0.13	INCH/MM				4P + 20S + 4P R/A SOLDER HEADER	
				angles	.XXX±.0020/0.XXX±0.051	scale		product family		code	
					0° ± 2°	1:1		PwrBlade		213	
				dr	T.BRUNGARD 07/16/02			size		sheet	
				enrg	M.MOSTOLLER 07/16/02			A		4 of 4	
				chr	M.MOSTOLLER 07/16/02			51730-054			
				appd	M.MOSTOLLER 07/16/02						
sheet index	revision sheet										

Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.